

121 - SWIMMING TRAINING – AUTOMATIZED RELAYSRONALDO RAPOSO DE MOURA¹EXPEDITO LOPEZ RAPOSO²

1-Universidade Federal do Pará (UFPA), Tucuruí, Pará, Brasil.

2-Instituto Federal do Pará (IFPA), Belém, Pará, Brasil.

rrmoura@ufpa.br

INTRODUCTION

Training is usually hard. Few people are or can be prepared to compete in high level. Clearly if we Brazilians have any intention of eventually leaving an Olympics Games with more than few medals (and the most brass) is necessary to invest in base training. We must encourage sports in schools, public and private, as well as at our universities. From quantity, we can extract quality and then we need, encourage and support the athletes. So, maybe some of them can become sport champions. Other countries are ahead of us with regard to these issues and for these reason, they have superior performance in high-level competitions.

Going back to the theme, Olympics Games, actually very in evidence as well as the next one will be in Brazil, we have to consider the following fact: Our performance is not consistent with the current position of Brazil at the global economy, once that our country is holding the sixth largest GDP – site: Terra (2013). We are good in some group sports such as: soccer and volleyball. However, outside few exceptions (great athletes), at individual sports we are weak – site: Folha de São Paulo (2012). Unfortunately for us, at the Olympics Games are individual sports such as athletics, swimming, and various forms of struggles the sports that give more medals.

We Brazilians like group ball sports, as they are naturally fun and make part of our culture. Moreover, the long tradition of positive results and the frequent grow-up of great talents at these sports incentive the kids to practice them. At Brazil this is a way of social ascension. If the children become a great soccer player, certainly, fame and fortune will come as a result. However, as discussed earlier, we need to encourage the practice of individual sports. As we explain before, is essential to produce good athletes at these sports if we intend improve our results at the Olympics Games. The question is how to do it? How to encourage our children to practice swimming or athletics, for example? How to make the training more interesting for our children and teenagers?

Well, the relays are often used in swimming training as a funny way of produce dispute between the athletes. Thus, the sport becomes funny for them and athletes do their training with more pleasure and determination, especially if the athletes are children. Usually coaches organize the relays choosing some "team captains" (usually the fastest or the most experienced athletes). Then, the team captains choose the other athletes of their respective team. This method often generates some relays teams much stronger than others, thereby reducing the effectiveness of the training. The problem is, because if there is a great difference in performance between the teams, during the training some of the relays teams can no longer win and the young athletes may do not give the best of themselves at the training. As in most cases, are the best athletes who close the relays, the situation becomes even more critical.

This paper presents a methodology that, by using specific software, automates the selection of relay's team members and makes the relays much more counterproductive. Thus, increase the competitiveness between the teams and helps the training to achieve their goals. As the methodology guaranty that all the relays teams will have similar performance, the competitiveness between the teams is improved and, thus, makes the training more interesting for the athletes.

METHODOLOGY

The methodology shown below was developed for optimized swimming relays. However, nothing prevents that the same methodology, with some modifications, can be applied to other sports such as athletics.

Let's go back to swimming training. We believe that form a single team that can compete well the relays at four strokes (backstroke, butterfly, breaststroke and crawl) is more efficient than modifying the team to compete in each style, as well, this stimulate teamwork and is gives opportunity to the same team that go bad in one relay of some stroke perform well in other. Thus, these create the following problem: How to assemble competitive teams at the four strokes at the same time?

The training methodology that form swimming relays more competitive at the four strokes can be divided into the following steps:

1) Collecting Time: at this step we get the time of all the athletes who will participate in the relay teams at the four strokes (backstroke, butterfly, breaststroke and crawl). The time must be registered at the same distance that we intend to do the relay training (for instance: 25 or 50 meters). This step can be repeated several times to guaranty that the time registered be close with the athletes' best performance.

2) Timing List: at this stage the athletes will be ranked in order of increasing times (from best to worst time) in the four strokes.

3) Software Feeding: The timing lists are introduced into the software and we also input some others information like: number of teams, number of teams members, who are the team captains, and which is the maximum difference in seconds permitted between teams.

4) Equivalent Crawl Ranking: At this step, the software calculates the Equivalent Crawl Ranking converting the four Timing Lists (one per stroke) in just one.

5) Computer Generation of the Relays Teams: Using the inputted data and the Equivalent Crawl Ranking, the computer calculates the best combination of athletes that mounting relays with the most similar performance as possible.

6) Organize the Relays Teams: The coach inform the team captains and the other athletes in which team they will compete.

7) Relays' Strategy: Each captain will define, together with the other team members' when each athlete will go to swim.

8) Running the Relays: The swimming teams disputes the relays in each stroke. At this step is very important taking time of every athlete in order to compare their performance with the time registered at the Timing List.

THE SOFTWARE

A software wrote in C++ language(PAPPAS, 1991 e JAMSA, 1994) was developed,by the authors, specifically to use the methodology. The algorithm used at that software is quite simple as we can see in the following steps:

- 1) Express all the times in seconds. Ex: 1:23 (one minute and twenty three seconds) = 83 s (eighty three seconds).
- 2) Calculate the average time (in seconds) at the four strokes (backstroke, butterfly, breaststroke and crawl). That means to calculate the arithmetic time average of each team:

$$Tm_i = \frac{\sum_{j=1}^n T_{ij}}{n} \quad (1)$$

where,

- n: number of athletes per team
- j: index that represents one specific athlete.
- i: index that represents one specific stroke.
 - i = 1: backstroke
 - i = 2: butterfly
 - i = 3: breaststroke
 - i = 4: crawl
- T_j: the time of one specific athlete.
- T_{m_i}: the time average in one specific stroke.

- 3) Calculate the Crawl Equivalent conversion factor (Fec) to the four strokes:

$$Fec_i = \frac{Tm_4}{Tm_i} \quad (2)$$

Note: Of course that if "i=4" (crawl) then Fec = 1.

- 4) Then the Crawl Equivalent Time (Tec) of each athlete at each stroke can be calculate as:

$$Tec_{ij} = (T_{ij}) \cdot (Fec_i) \quad (3)$$

- 5) From the Crawl Equivalent Time (Tec) of each athlete at each stroke is possible to calculate the Equivalent Average Time per athlete:

$$Tec_j = \frac{\sum_{i=1}^4 Tec_{ij}}{4} \quad (4)$$

Finally, using the inputted data and the Crawl Equivalent Ranking, the computer calculates the best combination team members that guaranty that the sum of Crawl Equivalent Times (Tec_j) of each team be very close. In other words, the computer calculates the best combination of athletes that mounting relays with the most similar performance as possible.

PRACTICE TEST AND RESULTS

The practical test of the effectiveness of the training methodology was done on a swim team comprised of athletes with ages between 8 and 17 years old at "Tuna Luso Brasileira" club which was then coached by Expedito Raposo, co-author of this work. The group present on the day of the relay was comprised by 36 athletes, divided in: 20 teenagers (12 men 8 women) and 16 children (9 boys and 7 girls).

About a week before, we have made several collecting times at all the four strokes in 25 and 50 meters. We decide to feed the computer with the Timing List made from the 25 meters times. The athletes were divided in four teams with nine members in each relay and the maximum time difference between teams was defined as 2 seconds. Then, the four fastest swimmers were selected to be the team captains.

All this information was inputted into the software that, based at the Crawl Equivalent Ranking, choose the best combination of athletes that permit relays with the most similar performance as possible. The Table 1 shows the teams and their Crawl Equivalent Times in seconds.

Table 1 – The teams and their Equivalent Crawl Times (s)

Team 1		Team 2		Team 3		Team 4	
nome	T (s)	nome	T (s)	nome	T (s)	nome	T (s)
athlete 1	13,1	athlete 2	13,2	athlete 3	13,3	athlete 4	13,5
athlete 10	27,5	athlete 8	27,4	athlete 7	27,4	athlete 5	27,4
athlete 6	41,4	athlete 9	41,9	athlete 11	42,2	athlete 12	42,4
athlete 17	57,2	athlete 15	57,5	athlete 13	57,3	athlete 14	57,4
athlete 20	73,5	athlete 16	73,2	athlete 19	73,4	athlete 18	73,3
athlete 21	90,5	athlete 24	91,0	athlete 22	90,6	athlete 23	90,8
athlete 28	109,3	athlete 25	108,9	athlete 27	109,4	athlete 26	109,3
athlete 30	129,2	athlete 32	129,8	athlete 29	128,7	athlete 31	129,7
athlete 35	151,5	athlete 33	151,1	athlete 36	151,5	athlete 34	151,8
2*		1*		2*		4*	

Observing Table 1 we see that the difference between the slowest time (151.8 s - Team 4) and the fastest (151.1 s - Team 1) is only 0.7 s, what shows that, all the teams have about the same strength. However, TECs (Crawl Time Equivalent) shown in Table 1, are useful only to assemble the teams. In addition to this the software is also able to make results predictions for the team performance at each stroke. Table 2 shows the prediction results for each team at the four strokes in seconds.

Table 2 – Prediction results for each team at the four strokes (s).

Classification	Backstroke		Butterfly		Breaststroke		Crawl	
	Team	Time	Team	Time	Team	Time	Team	Time
1*	Team 2	154,9	Team 4	152,2	Team 1	162,8	Team 2	151,1
2*	Team 3	155,2	Team 3	152,7	Team 4	164,5	Team 3	151,2
3*	Team 1	156,0	Team 2	152,8	Team 2	163,2	Team 1	151,5
4*	Team 4	157,5	Team 1	153,2	Team 3	164,5	Team 4	152,1
Dif 1* / 4*		2,6		1,0		1,7		1,0

The prediction results shown in Table 2 are useful to show that in fact, the teams presented similar performance at the four strokes, as the maximum difference between the 1st and 4th place occurred in backstroke and it was only 2.6 seconds. The coach can also use these results shown in Table 2 in order to compare the prediction performance versus the real one of each team. However, we believe that it is better to not show those predictions to the athletes before the competition in order to not interfere on the results.

Then, the coach informed to the team captains and to the other athletes in which team they will compete. After that, each captain had about 10 minutes to define, together with the other team's members the strategy that will be used.

Finally, the athletes swim the relays in the following stroke's order: Backstroke, Butterfly, Breaststroke and Crawl. The real relay's time results in seconds are showed at Table 3.

Table 3 – The real relay's results (s)

Classification	Backstroke		Butterfly		Breaststroke		Crawl	
	Team	Time	Team	Time	Team	Time	Team	Time
1°	Team 1	157,2	Team 3	149,9	Team 1	158,1	Team 3	145,7
2°	Team 2	157,7	Team 2	151,1	Team 2	163,3	Team 1	146,8
3°	Team 4	159,0	Team 4	153,3	Team 3	163,5	Team 2	149,8
4°	Team 3	160,4	Team 1	155,3	Team 4	165,4	Team 4	154,2
Dif 1° / 4°		3,2		5,4		7,3		8,5

An important information that we can take from the real relay's results showed at Table 3 if we compare with predicted results showed at Table 2 are that the predictions were wrong. However, all is fine, because the only prediction that we would like to confirm was that will be almost impossible to predict who will win. In other words, we would like to confirm if the computer really assemble teams with similar performance. What, based on the results, we can say that's true. Anyway, analyzing just the teams' time obtained at Table 3 we can see that they not differ much from the times predicted at Table 2.

CONCLUSION

The results presented on this paper showed that the methodology of assembly swimming relays assisted by computer, by using all the criteria's also commented here, really produce relays teams with similar performance at the four strokes. These make the results, in terms of team's placement, almost unpredictable. Moreover, in most cases athletes performed better than expected, what show the validity of the training as an incentive to improve the swimmers' performance.

Note that, the methodology presented here, although it was specifically prepared for swimming, can, with some modifications, be used for other sports, such as athletics.

REFERENCES

Terra. 50 Maiores PIBs do Mundo. Available at: <<http://www.terra.com.br/economia/infograficos/pib-mundial2013>>. Accessed in Nov. 2013.

Folha de São Paulo. Confirma o Desempenho dos Esportes do Brasil em Londres 2012. Available at: <<http://www1.folha.uol.br/esporte/1136303>>. Accessed in Nov. 2013.

PAPPAS, Chris; MURRAY, William. Turbo C++ - Completo e total, Makron, São Paulo, 1991.

JAMSA, Kris, C / C++ 1001 dicas, Livros Técnicos e Científicos, Rio de Janeiro, 1994.

Ronaldo Raposo de Moura

Address: Rua Jupia, 55, Vila Permanente, Tucuruí, Pará, Brasil, CEP: 68455-703.

SWIMMING TRAINING: AUTOMATIZED RELAYS

ABSTRACT

The relays are often used in swimming training as a funny way of produce dispute between the athletes. Thus, the sport becomes funny for them and athletes do their training with more pleasure and determination, especially if the athletes are children. Usually coaches organize the relays choosing some "team captains". Then, the team captains choose the other athletes of their respective team. This method often generates some relays teams much stronger than others, thereby reducing the effectiveness of the training. This paper presents a methodology that, by using specific software, automates the selection of relay's team members and assembly relays with similar performance. Thus, increase the competitiveness between the teams and helps the training to achieve their goals. Finally, the practical results of the use this methodology at a real training of a swimming team are presented and discussed.

KEY WORDS: swimming; relays; automatized.

ENTRAÎNEMENT DE NATATION : RELAIS AUTOMATISÉ

RESUME

Les relais sont souvent utilisés dans l'entraînement natation comme une forme amusant de croie competition entre les athlètes. Ainsi, le sport devient drôle pour eux et les athlètes font leur entraînement avec plus de plaisir et de détermination, surtout si les athlètes sont des enfants. Habituellement, les entraîneurs organisent les relais de choisir quelques «chefs d'équipe». Ensuite, les chefs d'équipe choisissent les autres athlètes de leur équipe respective. Cette méthode génère souvent des équipes de relais beaucoup plus forts que les autres, réduisant ainsi l'efficacité de l'entraînement. Cet article présente une méthodologie qui, en utilisant un logiciel spécifique, automatise la sélection de les membres de l'équipe de relais et faire l'assemblage des équipes avec performance similaire. Ainsi, accroître la compétitivité entre les équipes et aide à l'entraînement pour atteindre leurs objectifs. Enfin, les résultats pratiques de l'utilisation de cette méthode à un entraînement réel d'une équipe de natation sont présentés et discutés.

MOTS-CLÉS : natación ; relais ; automatizado.

ENTRENAMIENTO DE LA NATACIÓN: RELEVO AUTOMATIZADO

RESUMEN

Muchas veces son usados relevos en entrenamiento de la natación como una forma divertida de generar competencia entre los atletas. Por lo tanto, el deporte se convierte en diversión para ellos, lo que hace que los atletas entrenan con más placer y determinación, sobre todo si los atletas son niños. Normalmente los entrenadores organizan los relevos haciendo la elección de algunos "capitanes de equipo". A continuación, los capitanes eligen los otros atletas de sus respectivos

equipos. Este método suele generar algunos equipos de relevos mucho más fuertes que otros, lo que reduce la eficacia del entrenamiento. En este trabajo se presenta una metodología que, con el uso de un programa informático específico, automatiza la selección de los miembros del equipo de relevos y hace relevos vuelven mucho más igualados. Así, se sucede un aumento de competitividad entre los equipos lo que ayuda el entrenamiento a alcanzar sus metas. Al Fin, los resultados prácticos de la utilización de esta metodología en un equipo real de natación son presentados y discutidos.

PALABRAS CLAVES: natación; relevo; automatizado.

TREINO DE NATAÇÃO: REVEZAMENTO AUTOMATIZADO RESUMO

Revezamentos são frequentemente utilizados em treinamentos de natação como uma maneira divertida de gerar disputa entre os atletas. Assim, o esporte torna-se divertido para os mesmos, o que faz com que os atletas tenham mais prazer e determinação, especialmente se eles forem crianças. Normalmente treinadores organizamos revezamentos escolhendo alguns "capitães de equipe". Em seguida, os capitães escolhem demais atletas de sua respectiva equipe. Este método gera frequentemente algumas equipes de revezamento muito mais fortes do que outras, reduzindo assim a eficácia do treinamento. Este trabalho apresenta uma metodologia que, através da utilização de software específico, automatiza a seleção dos membros da equipe de revezamento e faz com que os revezamentos se tornem muito mais equiparados. Assim, aumenta a competitividade entre as equipes e ajuda ao treinamento a alcançar seus objetivos. Finalmente, os resultados práticos da utilização dessa metodologia em um treinamento de uma equipe de natação real são apresentados e discutidos.

PALAVRAS CHAVES: natação; revezamento; automatizado.